

XTravelSystem Web Services. Client Specification.

Project Information

Project:	XTravelSystem (XTS)
Related docs:	
Related Links:	http://doc.xtravelsystem.com http://test.xtravelsystem.com https://test.xtravelsystem.com
Goal:	Document Web Services Technical specification for XTS clients.

Document Information

Diffusion

Origin:	☒ Internal	☐ External		
Destination:	☐ Internal	☒ External		
Diffusion level:	☒ Public	☐ IT Dep.	☐ Inter Dep.	☐ Confidential
Information level:	☐ Notes	☒ Technical	☐ Control	☐ Strategic
Domain:	☐ Admin	☐ Commercial	☒ Technical	☐ Quality
Author:	Josep F. Company			
Diffusion date:	Oct 2008			
Sent to:				
Comments:				

Description

Type:	☐ Meeting	☐ Specification	☐ Report	☐ Memo	☒ Manual	☐ Goals
Type (other):						
Comments:						

Versions

Number	Date	Author	Reviser
V1.0	2006-04-01	Josep F. Company	
V1.1	2006-06-06	Josep F. Company	
V1.2	2006-09-30	Josep F. Company	
V1.3	2007-09-02	Josep F. Company	
V1.4	2008-01-15	Jonas Canyellas	
V1.5	2008-01-30	Jonas Canyellas	Josep F. Company
V1.6	2008-07-10	Jonas Canyellas	Josep F. Company
V1.7	2008-10-15	José Sanz	Josep F. Company
V1.8	2009-06-05	José Sanz	Josep F. Company



Help: This doc contains a report and enables approbations if needed.

Contents

XTravelSystem Web Services. Client Specification. 1

 Project Information 1

 Document Information 1

 Contents 2

 Chapter 0. Transfer Booking Handler WS Especification. 3

 Example: availableTransfers..... 3

 Example: confirm..... 5

 Example: GetCountriesByAgency 8

 Example: GetTransferAirports..... 10

 Example: GetTransferStablishment 11

 Example: Valuate 13

 Approved by 15

Chapter 0. Transfer Booking Handler WS Especification.



Ws description : WS to handle Transfer booking operations: availability and confirm operations.

Terminology used within this WS:

- Airport = airport, port, railway station, etc. See method **transferHandler:getTransferAirports** to get airport codes.
- hotel = establishment. See method **transferHandler:getTransferHotels** to get hotel codes.

At the moment, only tranfers airport – hotel and hotel – airport are available.

Example: availableTransfers

Example description : Retrieves available transfers for a given route.

Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:typ="http://xtravelsystem.com/v1_0rc1/transfer/types">

  <soapenv:Header/>
  <soapenv:Body>
    <typ:availableTransfers>
      <AvailabilityRQ_1>
        <agencyCode>613</agencyCode>
        <brandCode>1</brandCode>
        <pointOfSaleId>1</pointOfSaleId>
        <adults>2</adults>
        <children>0</children>
        <!--
        Zero or more repetitions:
        -->
        <fromAirToHotelJourney>
          <airportId>3057</airportId>
          <establishmentId>62</establishmentId>
          <flightInfo>
            <date>2007-06-01T08:30:00.000Z</date>
            <flightNumber>
              <company>UX</company>
              <fullNumber>2525</fullNumber>
              <number>2525</number>
            </flightNumber>
            <from>BCN</from>
            <to>PMI</to>
          </flightInfo>
        </fromAirToHotelJourney>
        <fromHotelToAirJourney>
          <airportId>3057</airportId>
          <establishmentId>62</establishmentId>
          <flightInfo>
            <date>2007-06-02T09:30:00.000Z</date>
            <flightNumber>
              <company>JK</company>
              <fullNumber>1212</fullNumber>
              <number>1212</number>
            </flightNumber>
            <from>PMI</from>
            <to>BCN</to>
          </flightInfo>
        </fromHotelToAirJourney>
        <fromRow>0</fromRow>
        <journeyDirection>Roundtrip</journeyDirection>
        <language>en</language>
      </AvailabilityRQ_1>
    </typ:availableTransfers>
  </soapenv:Body>
</soapenv:Envelope>
```

```

        <numRows>10</numRows>
    </AvailabilityRQ_1>
</typ:availableTransfers>
</soapenv:Body>
</soapenv:Envelope>

```

Response

```

<env:Envelope xmlns:env="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:enc="http://schemas.xmlsoap.org/soap/encoding/"
xmlns:ns0="http://xtravelsystem.com/v1_0rc1/transfer/types">
    <env:Body>
        <ns0:availableTransfersResponse>
            <result>
                <availableTransfers>
                    <adults>2</adults>
                    <children>0</children>
                    <fromAirToHotelJourney>
                        <airportId>3057</airportId>
                        <establishmentId>62</establishmentId>
                        <flightInfo>
                            <date>2007-06-01T08:30:00.000Z</date>
                            <flightNumber>
                                <company>UX</company>
                                <fullNumber>2525</fullNumber>
                                <number>2525</number>
                            </flightNumber>
                            <from>BCN</from>
                            <to>PMI</to>
                        </flightInfo>
                    </fromAirToHotelJourney>
                    <fromHotelToAirJourney>
                        <airportId>3057</airportId>
                        <establishmentId>62</establishmentId>
                        <flightInfo>
                            <date>2007-06-02T09:30:00.000Z</date>
                            <flightNumber>
                                <company>JK</company>
                                <fullNumber>1212</fullNumber>
                                <number>1212</number>
                            </flightNumber>
                            <from>PMI</from>
                            <to>BCN</to>
                        </flightInfo>
                    </fromHotelToAirJourney>
                    <journeyDirection>Roundtrip</journeyDirection>
                    <transferOption>
                        <direction>Roundtrip</direction>
                        <locationTextGoing>Text location for Shuttle transfer in Palma de Mallorca
airport</locationTextGoing>
                        <locationTextReturn>Return text for Shuttle transfers in Palma de Mallorca
airport</locationTextReturn>
                        <numVehicles>0</numVehicles>
                        <price>
                            <paxPrice>
                                <currencyCode xsi:nil="1"/>
                                <value>0.0</value>
                            </paxPrice>
                            <priceType>Pax</priceType>
                            <total>
                                <currencyCode xsi:nil="1"/>
                                <value>0.0</value>
                            </total>
                        </price>
                        <serviceType>Shuttle</serviceType>
                        <vehicleInfo>
                            <carId xsi:nil="1"/>
                            <carName xsi:nil="1"/>
                            <description xsi:nil="1"/>

```

```

        <imageUrl xsi:nil="1"/>
        <numPassenger>0</numPassenger>
    </vehicleInfo>
</transferOption>
<transferOption>
    <direction>Roundtrip</direction>
    <locationTextGoing>Text location for Private transfers in Palma de Mallorca
airport</locationTextGoing>
    <locationTextReturn>Return text for Private transfer in palma de Mallorca
airport</locationTextReturn>
    <numVehicles>1</numVehicles>
    <price>
        <paxPrice>
            <currencyCode>EUR</currencyCode>
            <value>150.0</value>
        </paxPrice>
        <priceType>Vehicle</priceType>
        <total>
            <currencyCode>EUR</currencyCode>
            <value>300.0</value>
        </total>
        <unitPrice xsi:type="ns0:UnitPrice">
            <currencyCode>EUR</currencyCode>
            <value>300.0</value>
            <paxType>Vehicle</paxType>
        </unitPrice>
    </price>
    <serviceType>Private</serviceType>
    <vehicleInfo>
        <carId>4</carId>
        <carName>Taxi</carName>
        <description>Taxi</description>
        <imageUrl/>
        <numPassenger>4</numPassenger>
    </vehicleInfo>
</transferOption>
</availableTransfers>
<fromRow>0</fromRow>
<numRows>10</numRows>
<totalRows>2</totalRows>
</result>
</ns0:availableTransfersResponse>
</env:Body>
</env:Envelope>

```

Example: confirm

Example description : confirms a transfer booking.

Request

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:typ="http://xtravelsystem.com/v1_0rc1/transfer/types">
    <soapenv:Header/>
    <soapenv:Body>
        <typ:confirm>
            <ConfirmRQ_1>
                <agencyCode>613</agencyCode>
                <brandCode>1</brandCode>
                <pointOfSaleId>1</pointOfSaleId>
                <fromAirToHotelJourney>
                    <airportId>3057</airportId>
                    <establishmentId>62</establishmentId>
                </fromAirToHotelJourney>
                <flightInfo>
                    <date>2007-06-01T08:30:00.000Z</date>
                    <flightNumber>
                        <company>IB</company>
                        <fullNumber>IB2525</fullNumber>
                    </flightNumber>
                </flightInfo>
            </ConfirmRQ_1>
        </typ:confirm>
    </soapenv:Body>
</soapenv:Envelope>

```

```

        <number>2525</number>
      </flightNumber>
      <from>BCN</from>
      <to>PMI</to>
    </flightInfo>
  </fromAirToHotelJourney>
  <fromHotelToAirJourney>
    <airportId>3057</airportId>
    <establishmentId>62</establishmentId>
    <flightInfo>
      <date>2007-06-02T08:30:00.000Z</date>
      <flightNumber>
        <company>IB</company>
        <fullNumber>IB3232</fullNumber>
        <number>3232</number>
      </flightNumber>
      <from>PMI</from>
      <to>BCN</to>
    </flightInfo>
  </fromHotelToAirJourney>
  <journeyDirection>Roundtrip</journeyDirection>
  <language>en</language>
  <!--Zero or more repetitions:
  -->
  <supplements></supplements>
  <!--Zero or more repetitions:
  -->
  <vehicleOccupancy>
    <adults>2</adults>
    <children>0</children>
    <!--Zero or more repetitions:
    -->

    <journeyDirection>Roundtrip</journeyDirection>
    <!--Zero or more repetitions:
    -->
    <names></names>
    <numberOfVehicles>1</numberOfVehicles>
    <serviceType>Private</serviceType>
    <vehicleTypeId>4</vehicleTypeId>
  </vehicleOccupancy>

  <agencyReference>myref</agencyReference>
  <basketId></basketId>
  <closeBasket>true</closeBasket>
  <!--Zero or more repetitions:
  -->
  <comments>
    <text></text>
    <type></type>
  </comments>
  <sendVoucher>false</sendVoucher>
  <titular>pepe</titular>
  <userId>myuser</userId>
  <voucherEmail>pep.company@jumbotours.es</voucherEmail>
</ConfirmRQ_1>
</typ:confirm>
</soapenv:Body>
</soapenv:Envelope>

```

Response

```

<env:Envelope xmlns:env="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:enc="http://schemas.xmlsoap.org/soap/encoding/"
xmlns:ns0="http://xtravelsystem.com/v1_0rc1/transfer/types">
  <env:Body>
    <ns0:confirmResponse>
      <result>
        <basket>

```

```

        <basketId>6494351099</basketId>
        <cancelled>0001-01-01T11:00:00.000Z</cancelled>
        <closed>2007-05-25T14:18:02.140Z</closed>
        <opened>2007-05-25T14:18:01.980Z</opened>
        <titular xsi:nil="1"/>
    </basket>
    <confirmService>
        <journeyDirection>Going</journeyDirection>
        <journeyInfo>
            <airportId>3057</airportId>
            <establishmentId>62</establishmentId>
            <flightInfo>
                <date>2007-06-01T08:30:00.000Z</date>
                <flightNumber>
                    <company>IB</company>
                    <fullNumber>2525</fullNumber>
                    <number xsi:nil="1"/>
                </flightNumber>
                <from>BCN</from>
                <to>PMI</to>
            </flightInfo>
        </journeyInfo>
        <serviceId>212254</serviceId>
        <vehicleOccupancy xsi:type="ns0:VehicleOccupancyRS">
            <adults>2</adults>
            <children>0</children>
            <journeyDirection xsi:nil="1"/>
            <names/>
            <numberOfVehicles>1</numberOfVehicles>
            <serviceType>Private</serviceType>
            <vehicleTypeId>4</vehicleTypeId>
            <locationTextGoing>Text location for Private transfers in Palma de Mallorca
airport</locationTextGoing>
            <price>
                <paxPrice>
                    <currencyCode>EUR</currencyCode>
                    <value>75.0</value>
                </paxPrice>
                <priceType>Vehicle</priceType>
                <total>
                    <currencyCode>EUR</currencyCode>
                    <value>150.0</value>
                </total>
                <unitPrice xsi:type="ns0:UnitPrice">
                    <currencyCode>EUR</currencyCode>
                    <value>150.0</value>
                <paxType/>
            </unitPrice>
        </price>
    </vehicleOccupancy>
</confirmService>
<confirmService>
    <journeyDirection>Return</journeyDirection>
    <journeyInfo>
        <airportId>3057</airportId>
        <establishmentId>62</establishmentId>
        <flightInfo>
            <date>2007-06-02T08:30:00.000Z</date>
            <flightNumber>
                <company>IB</company>
                <fullNumber>3232</fullNumber>
                <number xsi:nil="1"/>
            </flightNumber>
            <from>PMI</from>
            <to>BCN</to>
        </flightInfo>
    </journeyInfo>
    <serviceId>212255</serviceId>
    <vehicleOccupancy xsi:type="ns0:VehicleOccupancyRS">
        <adults>2</adults>
        <children>0</children>
        <journeyDirection xsi:nil="1"/>
    </vehicleOccupancy>
</confirmService>

```

```

        <names/>
        <numberOfVehicles>1</numberOfVehicles>
        <serviceType>Private</serviceType>
        <vehicleTypeId>4</vehicleTypeId>
        <locationTextReturn>Return text for Private transfer in palma de Mallorca
airport</locationTextReturn>
        <price>
            <paxPrice>
                <currencyCode>EUR</currencyCode>
                <value>75.0</value>
            </paxPrice>
            <priceType>Vehicle</priceType>
            <total>
                <currencyCode>EUR</currencyCode>
                <value>150.0</value>
            </total>
            <unitPrice xsi:type="ns0:UnitPrice">
                <currencyCode>EUR</currencyCode>
                <value>150.0</value>
            <paxType/>
            </unitPrice>
        </price>
    </vehicleOccupancy>
</confirmService>
<journeyDirection>Roundtrip</journeyDirection>
<status>CONFIRMED</status>
<totalPrice>
    <currencyCode>EUR</currencyCode>
    <value>300.0</value>
</totalPrice>
</result>
</ns0:confirmResponse>
</env:Body>
</env:Envelope>

```

Example: GetCountriesByAgency

Example description : Returns a list of Countries corresponding to Agency..

Request

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:typ="http://xtravelsystem.com/v1_0rc1/transfer/types">
  <soapenv:Header/>
  <soapenv:Body>
    <typ:GetCountriesByAgency>
      <GetCountriesRQ_1>
        <agencyCode>6972</agencyCode>
        <brandCode>1</brandCode>
        <pointOfSaleId>3</pointOfSaleId>
        <language>en</language>
      </GetCountriesRQ_1>
    </typ:GetCountriesByAgency>
  </soapenv:Body>
</soapenv:Envelope>

```

Response

```

<env:Envelope xmlns:env="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:enc="http://schemas.xmlsoap.org/soap/encoding/"
xmlns:ns0="http://xtravelsystem.com/v1_0rc1/transfer/types">
  <env:Body>
    <ns0:GetCountriesByAgencyResponse>
      <result>
        <list>

```



```
<code>BG</code>
<name>BULGARIA</name>
</list>
<list>
  <code>PT</code>
  <name>PORTUGAL</name>
</list>
<list>
  <code>CY</code>
  <name>CYPRUS</name>
</list>
<list>
  <code>EG</code>
  <name>EGYPT</name>
</list>
<list>
  <code>DO</code>
  <name>DOMINICAN REPUBLIC</name>
</list>
<list>
  <code>ES</code>
  <name>SPAIN</name>
</list>
<list>
  <code>MA</code>
  <name>MOROCCO</name>
</list>
<list>
  <code>TN</code>
  <name>TUNISIA</name>
</list>
<list>
  <code>TZ</code>
  <name>TANZANIA, UNITED REPUBLIC OF</name>
</list>
<list>
  <code>IT</code>
  <name>ITALY</name>
</list>
<list>
  <code>MX</code>
  <name>MEXICO</name>
</list>
<list>
  <code>FR</code>
  <name>FRANCE</name>
</list>
<list>
  <code>HU</code>
  <name>HUNGARY</name>
</list>
<list>
  <code>SI</code>
  <name>SLOVENIA</name>
</list>
<list>
  <code>SK</code>
  <name>SLOVAKIA</name>
</list>
<list>
  <code>CZ</code>
  <name>CZECH REPUBLIC</name>
</list>
<list>
  <code>DE</code>
  <name>GERMANY</name>
</list>
<list>
  <code>PL</code>
  <name>POLAND</name>
</list>
<list>
```

```

        <code>MT</code>
        <name>MALTA</name>
    </list>
    <list>
        <code>AT</code>
        <name>AUSTRIA</name>
    </list>
    <list>
        <code>NL</code>
        <name>NETHERLANDS</name>
    </list>
    <list>
        <code>IE</code>
        <name>IRELAND</name>
    </list>
    <list>
        <code>CH</code>
        <name>SWITZERLAND</name>
    </list>
    <list>
        <code>GR</code>
        <name>GREECE</name>
    </list>
</result>
</ns0:GetCountriesByAgencyResponse>
</env:Body>
</env:Envelope>

```

Example: GetTransferAirports

Example description : Returns a list of airports with available transfers.

Request

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:typ="http://xtravelsystem.com/v1_0rc1/transfer/types">
  <soapenv:Header/>
  <soapenv:Body>
    <typ:getTransferAirports>
      <GetTransferAirportsRQ_1>
        <agencyCode>6972</agencyCode>
        <brandCode>1</brandCode>
        <pointOfSaleId>3</pointOfSaleId>
        <countryCode>ES</countryCode>
        <language>en</language>
      </GetTransferAirportsRQ_1>
    </typ:getTransferAirports>
  </soapenv:Body>
</soapenv:Envelope>

```

Response

```

<env:Envelope xmlns:env="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:enc="http://schemas.xmlsoap.org/soap/encoding/"
xmlns:ns0="http://xtravelsystem.com/v1_0rc1/transfer/types">
  <env:Body>
    <ns0:getTransferAirportsResponse>
      <result>
        <airports>
          <code>2985</code>
          <iataCode>BCN</iataCode>
          <name>BARCELONA</name>
          <type>AIR</type>
        </airports>
      </result>
    </ns0:getTransferAirportsResponse>
  </env:Body>
</env:Envelope>

```

```

        <code>2988</code>
        <iataCode>BIO</iataCode>
        <name>BILBAO</name>
        <type>AIR</type>
    </airports>
    <airports>
        <code>2989</code>
        <iataCode>OVD</iataCode>
        <name>ASTURIAS</name>
        <type>AIR</type>
    </airports>
    <airports>
        <code>2991</code>
        <iataCode>ALC</iataCode>
        <name>ALICANTE</name>
        <type>AIR</type>
    </airports>
    <airports>
        <code>3020</code>
        <iataCode>GRX</iataCode>
        <name>GRANADA</name>
        <type>AIR</type>
    </airports>
    <airports>
        <code>3022</code>
        <iataCode>SVQ</iataCode>
        <name>SEVILLA</name>
        <type>AIR</type>
    </airports>
    . . . <!-- other results come here -->

</result>
</ns0:getTransferAirportsResponse>
</env:Body>
</env:Envelope>

```

Example: GetTransferStabishment

Example description : Returns a list of hotels with available transfers.

Request

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:typ="http://xtravelsystem.com/v1_0rc1/transfer/types">
  <soapenv:Header/>
  <soapenv:Body>
    <typ:getTransferEstablishments>
      <GetTransferEstablishmentsRQ_1>
        <agencyCode>6972</agencyCode>
        <brandCode>1</brandCode>
        <pointOfSaleId>3</pointOfSaleId>
        <airportCode>3057</airportCode>
        <areaCode></areaCode>
        <cityCode>18</cityCode>
        <fromRow>1</fromRow>
        <language>en</language>
        <numRows>100</numRows>
        <searchName></searchName>
      </GetTransferEstablishmentsRQ_1>
    </typ:getTransferEstablishments>
  </soapenv:Body>
</soapenv:Envelope>

```

Response

```

<env:Envelope xmlns:env="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:enc="http://schemas.xmlsoap.org/soap/encoding/"
xmlns:ns0="http://xtravelsystem.com/v1_0rc1/transfer/types">
  <env:Body>
    <ns0:getTransferEstablishmentsResponse>
      <result>
        <fromRow>1</fromRow>
        <result>
          <address>
            <address>Corb Mari 22</address>
            <cityCode>18</cityCode>
            <cityName>PALMA - MALLORCA</cityName>
            <countryCode>ES</countryCode>
            <countryName>SPAIN</countryName>
            <email/>
            <fax>+34971700225</fax>
            <stateCode>247</stateCode>
            <stateName>MALLORCA</stateName>
            <telephone>+34971700813</telephone>
            <zipCode>07014</zipCode>
          </address>
          <categoryName>***</categoryName>
          <establishmentId>3922</establishmentId>
          <establishmentName>APTS. AUGUSTA</establishmentName>
        </result>
        <result>
          <address>
            <address>Vía Asima 543 5°</address>
            <cityCode>18</cityCode>
            <cityName>PALMA - MALLORCA</cityName>
            <countryCode>ES</countryCode>
            <countryName>SPAIN</countryName>
            <email>marisa.roig@jumbotours.es</email>
            <fax>971321654</fax>
            <stateCode>247</stateCode>
            <stateName>MALLORCA</stateName>
            <telephone>971654987</telephone>
            <zipCode>07456</zipCode>
          </address>
          <categoryName>*****</categoryName>
          <establishmentId>42884</establishmentId>
          <establishmentName>DUPLICAT</establishmentName>
        </result>
        <result>
          <address>
            <address>VIA ASIMA, 456</address>
            <cityCode>18</cityCode>
            <cityName>PALMA - MALLORCA</cityName>
            <countryCode>ES</countryCode>
            <countryName>SPAIN</countryName>
            <email/>
            <fax/>
            <stateCode>247</stateCode>
            <stateName>MALLORCA</stateName>
            <telephone/>
            <zipCode/>
          </address>
          <categoryName>*</categoryName>
          <establishmentId>22647</establishmentId>
          <establishmentName>EXTRANET MROIG1</establishmentName>
        </result>

        . . . <!-- other results come here -->

        <toRow>35</toRow>
        <totalRows>35</totalRows>
      </result>
    </ns0:getTransferEstablishmentsResponse>
  </env:Body>
</env:Envelope>

```

Example: Valuate

Example description : valuates available transfer options for a given route.

Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:typ="http://xtravelsystem.com/v1_0rc1/transfer/types">
  <soapenv:Header/>
  <soapenv:Body>
    <typ:valuate>
      <ValuationRQ_1>
        <agencyCode>6972</agencyCode>
        <brandCode>1</brandCode>
        <pointOfSaleId>3</pointOfSaleId>
        <fromAirToHotelJourney>
          <airportId>3057</airportId>
          <establishmentId>91</establishmentId>
          <flightInfo>
            <date>2008-11-10T15:37:00.000Z</date>
            <flightNumber>
              <company>UX</company>
              <fullNumber>UX4001</fullNumber>
              <number>4001</number>
            </flightNumber>
            <from>VLC</from>
            <localTime></localTime>
            <to>PMI</to>
          </flightInfo>
        </fromAirToHotelJourney>
        <fromHotelToAirJourney>
          <airportId>3057</airportId>
          <establishmentId>91</establishmentId>
          <flightInfo>
            <date>2008-11-15T15:37:00.000Z</date>
            <flightNumber>
              <company>UX</company>
              <fullNumber>UX4002</fullNumber>
              <number>4002</number>
            </flightNumber>
            <from>PMI</from>
            <localTime></localTime>
            <to>VLC</to>
          </flightInfo>
        </fromHotelToAirJourney>
        <journeyDirection>Roundtrip</journeyDirection>
        <language>en</language>
        <!--Zero or more repetitions:-->
        <supplements></supplements>
        <!--Zero or more repetitions:-->
        <vehicleOccupancy>
          <adults>2</adults>
          <children>1</children>
          <!--Zero or more repetitions:-->
          <childrenAges>8</childrenAges>
          <journeyDirection>Roundtrip</journeyDirection>
          <!--Zero or more repetitions:-->
          <names>nombrel</names>
          <names>nombre2</names>
          <names>nombre3</names>
          <numberOfVehicles>1</numberOfVehicles>
          <!--Zero or more repetitions:-->
          <optionalSupplement>
            <quantity>0</quantity>
            <supplementCode></supplementCode>
          </optionalSupplement>
          <serviceType>Private</serviceType>
          <vehicleTypeId>1</vehicleTypeId>
        </vehicleOccupancy>
      </ValuationRQ_1>
    </typ:valuate>
  </soapenv:Body>
</soapenv:Envelope>
```

```
</soapenv:Body>
</soapenv:Envelope>
```

Response

```
<env:Envelope xmlns:env="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:enc="http://schemas.xmlsoap.org/soap/encoding/"
xmlns:ns0="http://xtravelsystem.com/v1_0rc1/transfer/types">
  <env:Body>
    <ns0:valuateResponse>
      <result>
        <amount xsi:nil="1"/>
        <commision xsi:nil="1"/>
        <date xsi:nil="1"/>
        <status xsi:nil="1"/>
        <fromAirToHotelJourney>
          <airportId>3057</airportId>
          <establishmentId>91</establishmentId>
          <flightInfo>
            <date>2008-11-10T15:37:00.000Z</date>
            <flightNumber>
              <company>UX</company>
              <fullNumber>UX4001</fullNumber>
              <number>4001</number>
            </flightNumber>
            <from>VLC</from>
            <localTime/>
            <to>PMI</to>
          </flightInfo>
        </fromAirToHotelJourney>
        <fromHotelToAirJourney>
          <airportId>3057</airportId>
          <establishmentId>91</establishmentId>
          <flightInfo>
            <date>2008-11-15T15:37:00.000Z</date>
            <flightNumber>
              <company>UX</company>
              <fullNumber>UX4002</fullNumber>
              <number>4002</number>
            </flightNumber>
            <from>PMI</from>
            <localTime/>
            <to>VLC</to>
          </flightInfo>
        </fromHotelToAirJourney>
        <journeyDirection>Roundtrip</journeyDirection>
        <totalPaxes>
          <adults>2</adults>
          <children>1</children>
        </totalPaxes>
        <totalPrice>
          <currencyCode>EUR</currencyCode>
          <value>37.0</value>
        </totalPrice>
        <transferOption xsi:type="ns0:TransferOptionValuation">
          <direction>Roundtrip</direction>
          <numVehicles>1</numVehicles>
          <price>
            <paxPrice>
              <currencyCode>EUR</currencyCode>
              <value>12.333</value>
            </paxPrice>
            <priceType>Vehicle</priceType>
            <total>
              <currencyCode>EUR</currencyCode>
              <value>37.0</value>
            </total>
            <unitPrice xsi:type="ns0:UnitPrice">
              <currencyCode>EUR</currencyCode>
```

```

        <value>37.0</value>
        <paxType/>
    </unitPrice>
</price>
<serviceType>Private</serviceType>
<vehicleInfo>
    <carId>1</carId>
    <carName>Taxi</carName>
    <description>Taxi</description>
    <imageUrl/>
    <numPassenger>4</numPassenger>
</vehicleInfo>
<adults>2</adults>
<children>1</children>
<childrenAges>8</childrenAges>
<names>nombre1</names>
<names>nombre2</names>
<names>nombre3</names>
</transferOption>
</result>
</ns0:valuateResponse>
</env:Body>
</env:Envelope>
```

Approved by



XTS Development Team.