

XTravelSystem HTTP DeepLinks

CONTENTS

XTravelSystem HTTP DeepLinks 1

 VERSION 1

 Introduction 2

 Sites 2

 Valuate URL 2

 Examples..... 4

 Log In 5

VERSION

Version	Date	Author	Revised by
2.0	Aug – 2016	Bernat Carbonell	

Introduction

XTravelSystem allows to confirm bookings directly on web site, with an HTTP call, using GET method. This method lands on the valuation page of www.jumbobeds.com.

Requeriments:

1. Valid agency code, brand code and point of sale.
2. Authorized user of www.jumbobeds.com
3. To know the available combinations of:
 - a. Establishment ID
 - b. Check In and Check Out dates
 - c. Board type.
 - d. Room type
 - e. Adults, children and children ages.

Don't hesitate to contact to support@xtravelsystem.com to ask for assistance.

Sites

TEST

- <http://testweb.jumbobeds.com>

LIVE

- <http://www.jumbobeds.com>

Valuate URL

The URL has this format:

<http://testweb.jumbobeds.com/private/directToValuate.m?cAg=aaa&iUs=bbb&cUs=ccc&cld=ddd&cEs=y&fEn=chi&fSa=cho&nHa=nh®=r&tHa=th&nAd=ad&nNi=ni&eNi=eni>

These are the parameters:

- cAg = Agency ID
- iUs = User ID
- cUs = Password
- cld = Language ID. (ES, EN, FR, DE, IT, PT)
- cEs = Establishment ID
- fEn = Check-In date (yyyy-mm-dd)
- fSa = Check-Out date (yyyy-mm-dd)
- nHa = Number of rooms.
- reg = Board Type Code.

- tHa = Room Type Code.
- nAd = Number of Adults.
- nNi= Number of Children.
- eNi = Children Ages. One per child. Mandatory if nNi is not 0.

Different rooms can be requested. In this case we should inform for each room: room type, board type, adults, children and children ages.

How to do this? The room types will be separated by comma into the parameter tHa. In example, for 2 DBL rooms: nHa=DBL,DBL. It will be the same for board type, adults, children and children ages.

Examples

- 1 DBL, BB, no children:

*http://testweb.jumbobeds.com/private/directToValuate.m?cAg=124&iUs=*****&cUs=**
*****&cld=EN&cEs=1234&fEn=2016-06-15&fSa=2016-06-
25&nHa=1®=BB&tHa=DBL&nAd=2&nNi=0*

- 2 DBL, RO, 1 room with no children, 1 room with 1 child:

*http://testweb.jumbobeds.com/private/directToValuate.m?cAg=74&iUs=*****&cUs=****
*****&cld=EN&cEs=1234&fEn=2016-07-05&fSa=2016-07-
25&nHa=1,1®=RO,RO&tHa=DBL,DBL&nAd=2,2&nNi=0,1&eNi=3*

- 1 SGL with 1AD and 1 DBL with 2AD + 2CH:

*http://testweb.jumbobeds.com/private/directToValuate.m?cAg=114&iUs=*****&cUs=**
*****&cld=EN&cEs=1234&fEn=2016-08-10&fSa=2016-08-
12&nHa=1,1®=AI,AI&tHa=SGL,DBL&nAd=1,2&nNi=0,2&eNi=2,4*

- 2 DBL with 2AD, 1 SGL, 1 DBL 2AD + 2CH, HB:

*http://testweb.jumbobeds.com/private/directToValuate.m?cAg=214&iUs=*****&cUs=**
*****&cld=EN&cEs=1234&fEn=2016-07-25&fSa=2016-08-
05&nHa=2,1,1®=HB,HB,HB&tHa=DBL,SGL,DBL&nAd=2,1,2&nNi=0,0,2&eNi=3,3*

- 2 DBL with 2AD + 1CH, 1 SGL, 1 DBL with 2AD + 2CH, HB:

*http://testweb.jumbobeds.com/private/directToValuate.m?cAg=214&iUs=*****&cUs=**
*****&cld=EN&cEs=1234&fEn=2016-07-
25&fSa=2016-08-
05&nHa=2,1,1®=HB,HB,HB&tHa=DBL,SGL,DBL&nAd=2,1,2&nNi=1,0,2&eNi=4,3,5*

- 2 DBL with 2AD + 1CH, 1 DBL with 2AD + 1CH, DBL with 2AD + 2CH, HB:

*http://testweb.jumbobeds.com/private/directToValuate.m?
cAg=214&iUs=*****&cUs=*****&cld=EN&cEs=1234&fEn=2016-07-
25&fSa=2016-08-
05&nHa=2,1,1®=HB,HB,HB&tHa=DBL,SGL,DBL&nAd=2,1,2&nNi=1,1,2&eNi=4,2,3,
5*

Log In

The clients can connect directly to our Jumbobeds website, through a HTML Form. Using this option, the user avoids to insert user/password, and homepage will be shown.

```
<form method=post action="http://www.jumbobeds.com/index.m">
  <input type="text" name="login" value="USERNAME">
  <input type="password" name="password" value="PASSWORD">
  <input type="Submit" value="PUSH" >
</form>
```

- USERNAME: it is the user to connect to the website. Jumbo will provide.
- PASSWORD: it is the password of the user. Jumbo will provide.
- PUSH: it is the button caption in the form.

Also, you can access via URL:
<http://www.jumbobeds.com/index.m?login=USERNAME&password=PASSWORD>. This is the landing page: